AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (original) A device for fixing an object to a tree, the device including:

an elongate body, one end of which is adapted for attachment to a tree, in use an object being slidably mounted on the elongate body, and

a device for biasing an object slidably mounted on the elongate body towards the end of the body adapted for attachment to the tree,

in use, pressure resulting from growth of the tree being transmitted to the object and pushing it along the elongate body against the bias and away from the tree.

- 2. (original) A device according to Claim 1, wherein the elongate body is adapted for attachment to a tree by being fitted with a fixing member.
- 3. (original) A device according to Claim 2, wherein the fixing member tapers to a sharp end point.

- 4. (previously presented) A device according to Claim 2, wherein the fixing member is provided with a screw thread for helping insert it into the tree and keep it in place.
- 5. (previously presented) A device according to claim 1, wherein the biasing device applies pressure that is usually slightly lower than that pressure resulting from expansion of a growing tree, e.g. a pressure in the range of $7-8~{\rm kg/cm^2}$.
- 6. (previously presented) A device according to claim 1, wherein the biasing device is formed of a resilient material.
- 7. (previously presented) A device according to claim 1, wherein the biasing device comprises a compression spring.
- 8. (previously presented) A device according to claim 1, wherein one end of the biasing device abuts the object.
- 9. (previously presented) A device according to claim
 1, further including a component, such as a washer or a ring,
 that is slidably mounted on the elongate body between the object
 and the tree so that the tree at least partially contacts the
 component, the component at least partially transmitting the
 pressure to the object.

- 10. (previously presented) A device according to claim 1, wherein the length of the elongate body is adjustable.
- 11. (original) A device according to Claim 10, wherein the elongate body is comprised of a plurality of elongate members.
- 12. (previously presented) A device according to claim 1, wherein the elongate member is generally cylindrical.
- 13. (previously presented) A device according to claim
 1, wherein some or all of the components forming the device are
 formed of plastics or metal material, such as stainless steel.

14. (canceled)

15. (original) A device for fixing an object to a tree, the device including:

an elongate body, one end of which is adapted for attachment to a tree;

an object slidably mounted on the elongate body, and

a device for biasing the object towards the end of the body adapted for attachment to the tree,

in use, pressure resulting from growth of the tree being transmitted to the object and pushing it along the elongate body against the bias and away from the tree.

16-17. (canceled)